

# Communication Answered In Style



# Bittel MODA

MODA stack includes multiple modules which provide features like Speaker Phone, charging devices, Bluetooth connectivity, FM Radio, Clock/Alarm & wireless charging.

Designed by Jacob Jensen Design

Equipped with powerful and creatively designed handset

## Features

- Magnetically attached charging cables and Charging ports.
- Option for wireless charging.
- Easy to use radio.
- Bluetooth 5 compatible.
- MODA specific pairing ID.
- Clock display equipped with auto- dimming feature.
- Printable faceplate area for branding and dialing instruction.



# UNO media 5 – UM7711

## Features

- Up to 7 charging ports 4 x Smart USB & 1 x 3 ports MFC cable
- High-grade aluminum alloy faceplate with elegant acrylic panel
- High Quality Stereo Speakers
- NFC (Near Field Communication) enabled touch-less pairing.
- High Powered Rapid Charger
- Up to 10 programmable guest service keys
- Easy-to-use alarm clock/radio with snooze
- Battery back-up for Clock and Alarm
- Auto ascending Alarm Volume
- Audio input for portable music player
- High performance sound system
- Daylight Saving Time(DST) auto change
- Hearing aid compatible handset
- Message waiting indicator compatible with all major hospitality PBXs



## Specifications

- Dimension: 17.5\*16.5\*5(cm)
- Handset cord: 3.6m
- Line cord: 2m
- Weight: 1.4 kg
- Color: Black
- Power Adaptor: 7.5V, 3A, 22.5W
- Rated Power: 20W
- Standby Power: 0.35W
- Quality Regulation System: ISO9001
- Certification: FCC,CE,CCC

# Bittel NEO series - HA(62)TSD-10S

## Features

- Small, Sleek and Versatile
- High performance Speakerphone on base.
- Two high powered USB charge ports (Optional).
- Patented Multi Function Cable (Optional)
- ProGuard Keyboard; Unique reliable keyboard design
- Redials the last number dialed. Dialed number disappears for guest privacy.
- Full length faceplate for hotel's logo and dial instructions
- Compatible with all major hotel PBX message waiting formats.
- HAC feature
- RoHS, FCC approved
- Desk or wall mountable
- Up to 10 programmable service buttons.



Landscape Variant



With charge base (optional)

## Specifications

- Upright model :19.3×11×10.1(cm)
- Landscape model : 20.4×11×8.7(cm)
- Coiled cord: 2.0m
- Line cord: 2.7m
- Weight: 0.8kg
- Quality Regulation System: ISO9001



# Um77 Trimline - UM7713

## Features

- Handset Receiver -- Hearing aid compatibility
- Adjustable Flash Button – 600ms flash time by default
- Redial Button, Volume Button
- Message Waiting Light – indicator of ringing, voice message
- Wall-mount or Desk-mount Optional.
- Last dialed number disappears to protect guests privacy

## Specifications

- Dimension: 21.8x6x7(cm)
- Weight: 0.385Kg
- Color: Black, Ivory
- Working Voltage: 24V~60V
- Quality Regulation System: ISO9001
- Certification: FCC, CE



# Uranus Cordless - HWD9888(38)TSD

## Features

- One Base-station supports up to 3 handsets
- Supports 2.4GHz DECT standard
- Both Handset and Base Unit can make/answer call
- The last dialed number disappears after a definite time (Only for Uranus cordless)
- For both Base and Handset, Ringer and Volume are adjustable
- Flash, Redial and Hold for both Handset and the Unit
- Busy tone disconnects automatically for both Base Unit & Handset
- Handset warns if it is beyond the operational distance
- Handset detects the Battery power and warns if battery is low
- Base Unit has the MWL retrieval function
- Last dialed number disappears after a definite time
- Permanent EEPROM memory keys
- Supports Handset Programming Cloner and Remote Programming Master Cloner
- Cord Tray and Placard optional
- Handset recharges the battery rapidly
- Digital code transmission, avoids mutual interfaces with other electronic equipments
- WPC approved (Import License needed)



**Dimension :** (225x165x90) mm

**Color :** Ivory & Black



# Uranus 38 - HA9888(38)TSD

## Features

- Available in single and two line models
- 10 / 5 / 3 / 0, Permanent one-touch memory keys
- Supports Remote Programming Master Cloner and Hand-held Programming Cloner
- Message waiting light with retrieval function
- Busy tone disconnects automatically
- Last dialed number disappears after a definite time
- Data Port
- Flash button for Base and Handset, 600ms Flash (Standard)
- Flash and Pause time programmable
- Hook switch delay time is programmable
- Mute button optional
- Speaker and Handset volume, three-step adjustable
- Ringer Volume HI / LOW adjustable
- Two line auto-select and three-way conference (Two Line Phone only)
- Specific Tray and Placard optional
- Desk and Wall mountable

**Dimension :** (225x165x90) mm

**Color :** Ivory & Black



## Venus 32 - HA9888(32)TSD

### Features

- 10/5/3/0, Permanent one-touch memory keys
- Message waiting light and ringer indicator
- Data Port
- Speaker and Hold with indicators
- Redial and Flash
- Ringer Volume HI/LOW adjustable
- Speaker and Handset volume, three steps adjustable
- Handset with HAC (Hearing Aid Compatible)
- Movable Tray and Placard
- Cord tray and Placard optional



**Dimension :** (220x150x90) mm

**Color :** Ivory & Black

## Bluemoon 12 - HA(12)TSD-A-6S(A8)

### Features

- Large Faceplate
- Message Waiting Light and Ringer Indicator
- PrivacyGuard™, Last dialed number disappearing after a definite time
- Flexible Data Port
- Indicators for Hold and SPKR
- Hold, Flash and Redial
- Ringer Volume HI/LOW adjustable
- Handset with HAC
- SPKR and Handset volume three-step adjustable
- Desk and Wall Mountable



**Dimension :** (211x152x86) mm

**Color :** Ivory & Black



# Bathroom Phone

## UNO 66 Trimline - HA9888(66)T

### Features

- Small and exquisite bathroom phone
- Hangup, Redial and Hold with indicator
- Single and two line models
- Large printable faceplate area for branding and dialing instructions
- Message waiting indicator compatible with all major hospitality PBXs
- Phone-only model is wall mountable
- High-grade, clean and tidy
- Withdrawable faceplate, more convenient
- Flush front panel with clean & elegant appearance
- Upright design presents user controls ergonomically

**Dimension :** (201x100x46) mm

**Color :** Ivory & Black



## UNO 69 - HA9888(69)TSD

### Features

- Single line speakerphone
- Up to 3 programmable guest service keys
- Mini printable faceplate for branding and dialing instructions
- Express Programmer, Hand held cloner and Remote Master cloner are used to program the phone faster and accurately
- PrivacyGuard™, the last dialed number disappears after 5 minutes to protect the privacy of guests
- AutoConnect™, busy tone disconnects automatically
- Message waiting indicator compatible with all major hospitality PBXs.

**Dimension :** (175x112x142) mm

**Color :** Ivory & Black





## Polaris 41T-5 - HA9888(41)T-5

### Features

- Magnetic Hook Switch, achieves better waterproofing
- Customized faceplate
- Flash, Pause
- Redial, Hold
- Backlit keypad
- Message waiting indicator
- Desk or Wall Mountable
- Handset with HAC

**Dimension :** (225x90x85) mm

**Color :** 0.4 Kg

**Color :** Ivory & Black



## Polaris 41T-18 - HA9888(41)T-18

### Features

- Membrane touch keypad optional for better waterproofing
- Magnetic Hook Switch TM, achieves better waterproofing
- Flash, Pause
- Redial, Hold
- Backlit keypad
- Message waiting indicator
- Desk or Wall Mountable

**Dimension :** (223x68x65) mm

**Color :** 0.3 Kg

**Color :** Ivory & Black



## Uranus Business Phone - HCD9888(38)TSD

### Features

- Active memory for incoming calls 116, FSK/DTMF Caller ID System
- 16 digit, 16 line outgoing call records
- 6 local area code setting and 6 long-distance code setting
- Auto recall when the line is busy
- LCD contrast adjustment five level adjustable
- Built-in real date, time clock and week display
- Ringing and Message waiting light
- 12-digit, 12-line indirect memory keys
- Speakerphone
- Flash time 600ms
- Pause, hold, redial, flash and volume



**Dimension :** (225x165x90) mm

**Color :** Ivory & Black

## Uranus Lobby Phone - 38TS-B-P(N)

### Features

- Used in hall, aisle, lift, entertainment center and public areas
- Lift handset to connect to one-touch service key offering convenient service for guests.

**Dimension :** (225x165x90) mm

**Color :** Ivory & Black



## Sales Offices:

### Ahmedabad

409, Pinnacle Business Park,  
Corporate Road,  
Pralhadnagar,  
Ahmedabad - 380015  
Tel.: +91-79-40407500  
Fax: +91-79-40407575

### Bengaluru

No. 92-93, 1<sup>st</sup> Floor,  
Garden Citi Plaza, Domlur,  
Koramangala Intermediate  
Ring Road, Amar Jyothi Layout,  
Bengaluru - 560071  
Tel.: +91-80-43618000  
Fax: +91-80-43618080

### Bhopal

2<sup>nd</sup> Floor, Gomti-Villa,  
273, Zone-II, M. P. Nagar,  
Bhopal - 462011  
Tel.: +91-75-54004676  
Fax: +91-75-54004676

### Bhubaneswar

Plot No.382, 2<sup>nd</sup> Floor  
Bhoi Nagar, Behind Sahid  
Nagar Police Station,  
Bhubaneswar - 751022  
Mob.: +91-9437004318

### Chandigarh

C/o Regus Business Centre,  
SCO 54-56, 3<sup>rd</sup> Floor,  
Sector 17A,  
Chandigarh 160017, India  
Mob.: +91-9988899421

### Chennai

Unit No.2, West wing,  
4<sup>th</sup> Floor, Maalavika Centre,  
No.144-145 Kodambakkam  
High Road, Nungambakkam,  
Chennai - 600 034  
Tel.: +91 44 2833 4190  
Fax: +91 44 2833 4198

### Cochin

KG Oxford Business Centre,  
No 39/4609, 4<sup>th</sup> Floor C,  
Sree Kandath Road,  
Ravipuram, Cochin - 682016  
Tel.: +91-484-4044260  
Fax: +91-484-4044261

### Delhi

A-25, Mohan Co-operative  
Industrial Estate, Mathura  
Road, New Delhi - 110044  
Tel.: +91-11-42885508  
Fax: +91-11-42885588

### Gurgaon

4<sup>th</sup> floor B-Block, Times Square  
Building, Sushant Lok Phase 1,  
Gurgaon – 122001, Haryana  
Tel.: +91-11-42885508

### Hyderabad

H. No. 1-65/2/40 & 41 (P)  
Plot No: 68, 1<sup>st</sup> Floor, A1 Towers,  
Sri Rama Colony, Kavuri Hills  
Phase 1, Madhapur,  
Hyderabad – 500 033  
Tel.: +91 40 4448 2500  
Fax: +91 40 4448 2525

### Jaipur

605, 6<sup>th</sup> Floor, Green House,  
Ashok Marg, C-Scheme,  
Jaipur - 302001  
Mob.: +91-9654910792  
Mob.: +91-9672991967  
Fax: +91-141-2375993

### Jammu

Lane No-1, R K Vihar Behind,  
Rama Krishn Ashram,  
Udhewalla, Bohri,  
Jammu-180002  
Mob.: +91-9858282726  
Mob.: +91-9988899421

### Kolkata

12<sup>th</sup> Floor, Unit No.3, PS Srijan  
Corporate Park Tower-1,  
Plot No. G-2, Block EP & GP,  
Sector-V, Bidhannagar,  
Salt Lake Electronics Complex,  
Kolkata – 700091  
Tel.: +91 33 4016 5100  
Fax: +91 33 4016 5130

### Lucknow

C/O. Regus Infinity Business  
Hubs, 4<sup>th</sup> Floor, Halwasiya  
Court, Hazratganj,  
Lucknow - 226001, U.P.  
Mob.: +91-7704809251

### Mumbai

Unit No. 901, 9<sup>th</sup> Floor,  
Lodha Supremus, Wing - E,  
I Think Techno Campus,  
Kanjurmarg (East),  
Mumbai - 400 042  
Tel.: +91 22 4154 7000  
Fax: +91 22 4154 7222

### Mahape

EL - 19, MIDC, TTC Industrial  
Area, Mahape, Near Nelco,  
Navi Mumbai - 400710

### Pune

Salunkhe Crystal, 3<sup>rd</sup> Floor,  
118 Vigyan Nagar, Bhavdhan,  
Pune - 411021  
Tel.: +91-20-22916060  
Fax: +91-20-22916020

### Vadodara

A/413, Atlantis, B/s. Central  
Square, At Sarabhai Campus,  
Nr. Genda Circle,  
Vadodara - 390023  
Tel.: +91-265-2323155  
Fax: +91-265-2323155

### Visakhapatnam

Visakha Business Centre, Cabin  
S-9, 46-19-5, Manda Vari Street,  
Behind Big Bazar, Dondaparthy,  
Visakhapatnam - 530016  
Mob.: +91-9949353919  
Fax: +91-40-44482525

### Nagpur

Plot No. 1, Sai Sadan,  
Near Mount Carmel School,  
Ajni Square, Nagpur - 440015  
Mob.: +91-9860151112  
Fax: +91-712-6639666

### Aurangabad

Mob.: +91-7720025100

### Coimbatore

Mob.: +91-9840993783

### Dehradun

Mob.: +91-9568010446

### Goa

Mob.: +91-7755923035

### Guwahati

Mob.: +91-9864016888

### Kota

Mob.: +91-9654910792

### Madurai

Mob.: +91-9940193782

### Patna

Mob.: +91-7654190694

### Raipur

Mob.: +91-7697821880

### Ranchi

Mob.: +91-8789146852

### Vijayawada

Tel.: +91-40-44482500

Contact us: 011-42885508

[www.progilitytech.com](http://www.progilitytech.com)

**Corporate Head Office:** Unit No. 1001, 10<sup>th</sup> Floor, Lodha Supremus, Wing - E, I Think Techno Campus, Kanjurmarg (East),  
Mumbai - 400 042, Maharashtra, India. Tel.: +91-22-4154 7000, Fax: +91-22-4154 7222 Email us - [india@progilitytech.com](mailto:india@progilitytech.com)

